

2D CARDIAC PERFORMANCE ANALYSIS

Technology

- Amundsen BH, Helle-Valle T, Edvardsen T, Torp H, Crosby J, Lyseggen E, Støylen A, Ihlen H, Lima JA, Smiseth OA, Slørdahl SA. *Noninvasive myocardial strain measurement by speckle tracking echocardiography: validation against sonomicrometry and tagged magnetic resonance imaging*. J Am Coll Cardiol. 2006 Feb;47(4):789-93.
- Nagata Y, Takeuchi M, Mizukoshi K, Wu VC, Lin FC, Negishi K, Nakatani S, Otsuji Y. *Intervendor variability of two-dimensional strain using vendor-specific and vendor-independent software*. J Am Soc Echocardiogr. 2015 Jun;28(6):630-41.
- Onishi T, Saha SK, Delgado-Montero A, Ludwig DR, Onishi T, Schelbert EB, Schwartzman D, Gorcsan J 3rd. *Global longitudinal strain and global circumferential strain by speckle-tracking echocardiography and feature-tracking cardiac magnetic resonance imaging: comparison with left ventricular ejection fraction*. J Am Soc Echocardiogr. 2015 May;28(5):587-96.

Normal values

- Cheng S, Larson MG, McCabe EL, Osypiuk E, Lehman BT, Stanchev P, Aragam J, Benjamin EJ, Solomon SD, Vasan RS. *Age- and sex-based reference limits and clinical correlates of myocardial strain and synchrony: the Framingham Heart Study*. Circ Cardiovasc Imaging. 2013 Sep;6(5):692-9.
- Sugimoto T, Dulgheru R, Bernard A, Ilardi F, Contu L, Addetia K, Caballero L, Akhaladze N, Athanassopoulos GD, Barone D, Baroni M, Cardim N, Hagendorff A, Hristova K, Lopez T, de la Morena G, Popescu BA, Moonen M, Penicka M, Ozyigit T, Rodrigo Carbonero JD, van de Veire N, von Bardeleben RS, Vinereanu D, Zamorano JL, Go YY, Rosca M, Calin A, Magne J, Cosyns B, Marchetta S, Donal E, Habib G, Galderisi M, Badano LP, Lang RM, Lancellotti P. *Echocardiographic reference ranges for normal left ventricular 2D strain: results from the EACVI NORRE study*. Eur Heart J Cardiovasc Imaging. 2017 May 1;18(8):833-840.

Strain task force: Inter-vendor comparison study

- Farsalinos KE, Daraban AM, Ünlü S, Thomas JD, Badano LP, Voigt JU. *Head-to-Head Comparison of Global Longitudinal Strain Measurements among Nine Different Vendors: The EACVI/ASE Inter-Vendor Comparison Study*. J Am Soc Echocardiogr. 2015 Oct;28(10):1171-1181, e2.
- Mirea O, Pagourelias ED, Duchenne J, Bogaert J, Thomas JD, Badano LP, Voigt JU; EACVI-ASE-Industry Standardization Task Force. *Variability and Reproducibility of Segmental Longitudinal Strain Measurement: A Report From the EACVI-ASE Strain Standardization Task Force*. JACC Cardiovasc Imaging. 2017 May 12. pii: S1936-878X(17)30360-1.
- Mirea O, Pagourelias ED, Duchenne J, Bogaert J, Thomas JD, Badano LP, Voigt JU; EACVI-ASE-Industry Standardization Task Force. *Intervendor Differences in the Accuracy of Detecting Regional Functional Abnormalities: A Report From the EACVI-ASE Strain Standardization Task Force*. JACC Cardiovasc Imaging. 2017 May 11. pii: S1936-878X(17)30363-7.

Left ventricle

- Cheng S, Larson MG, McCabe EL, Osypiuk E, Lehman BT, Stanchev P, Aragam J, Benjamin EJ, Solomon SD, Vasan RS; *Reproducibility of speckle-tracking-based strain measures of left ventricular function in a community-based study*. J Am Soc Echocardiogr. 2013 Nov;26(11):1258-1266.e2.

- Huqi A, He A, Klas B, Paterson I, Thompson R, Irwin M, Ezekowitz J, Choy JB, Becher H. *Myocardial deformation analysis in contrast echocardiography: first results using two-dimensional cardiac performance analysis.* J Am Soc Echocardiogr. 2013 Nov;26(11):1282-9.
- Onishi T, Saha SK, Ludwig DR, Onishi T, Marek JJ, Cavalcante JL, Schelbert EB, Schwartzman D, Gorcsan J 3rd. *Feature tracking measurement of dyssynchrony from cardiovascular magnetic resonance cine acquisitions: comparison with echocardiographic speckle tracking.* J Cardiovasc Magn Reson. 2013 Oct 17;15:95.
- Padhyath A, Gribben P, Abraham JR, Li L, Rangamani S, Schuster A, Danford DA, Pedrizzetti G, Kutty S. *Echocardiography and cardiac magnetic resonance-based feature tracking in the assessment of myocardial mechanics in tetralogy of Fallot: an intermodality comparison.* Echocardiography. 2013 Feb;30(2):203-10.
- Risum N, Ali S, Olsen NT, Jons C, Khouri MG, Lauridsen TK, Samad Z, Velazquez EJ, Sogaard P, Kisslo J. *Variability of global left ventricular deformation analysis using vendor dependent and independent two-dimensional speckle-tracking software in adults.* J Am Soc Echocardiogr. 2012 Nov;25(11):1195-203.
- Sengupta SP, Amaki M, Bansal M, Fulwani M, Washimkar S, Hofstra L, Narula J, Sengupta PP. *Effects of Percutaneous Balloon Mitral Valvuloplasty on Left Ventricular Deformation in Patients with Isolated Severe Mitral Stenosis: A Speckle-Tracking Strain Echocardiographic Study.* J Am Soc Echocardiogr. 2014 Mar 14. pii: S0894-7317(14)00101-1.
- Cimino S, Canali E, Petronilli V, Cicogna F, De Luca L, Francone M, Sardella G, Iacoboni C, Agati L. *Global and regional longitudinal strain assessed by two-dimensional speckle tracking echocardiography identifies early myocardial dysfunction and transmural extent of myocardial scar in patients with acute ST elevation myocardial infarction and relatively preserved LV function.* Eur Heart J Cardiovasc Imaging. 2013 Aug;14(8):805-11.
- Buss SJ, Emami M, Mereles D, Korosoglou G, Kristen AV, Voss A, Schellberg D, Zugck C, Galuschky C, Giannitsis E, Hegenbart U, Ho AD, Katus HA, Schonland SO, Hardt SE. *Longitudinal left ventricular function for prediction of survival in systemic light-chain amyloidosis: incremental value compared with clinical and biochemical markers.* J Am Coll Cardiol. 2012 Sep 18;60(12):1067-76
- Quarta CC, Buxbaum JN, Shah AM, Falk RH, Claggett B, Kitzman DW, Mosley TH, Butler KR, Boerwinkle E, Solomon SD. *The amyloidogenic V122I transthyretin variant in elderly black Americans.* N Engl J Med. 2015 Jan;372(1):21-9.
- Pandis D, Sengupta PP, Castillo JG, Caracciolo G, Fischer GW, Narula J, Anyanwu A, Adams DH. *Assessment of longitudinal myocardial mechanics in patients with degenerative mitral valve regurgitation predicts postoperative worsening of left ventricular systolic function.* J Am Soc Echocardiogr. 2014 Jun;27(6):627-38.
- Nagata Y, Takeuchi M, Wu VC, Izumo M, Suzuki K, Sato K, Seo Y, Akashi YJ, Aonuma K, Otsuji Y. *Prognostic value of LV deformation parameters using 2D and 3D speckle-tracking echocardiography in asymptomatic patients with severe aortic stenosis and preserved LV ejection fraction.* JACC Cardiovasc Imaging. 2015 Mar;8(3):235-45.
- Saito M, Negishi K, Eskandari M, Huynh Q, Hawson J, Moore A, Koneru S, Foster S, Marwick TH. *Association of left ventricular strain with 30-day mortality and readmission in patients with heart failure.* J Am Soc Echocardiogr. 2015 Jun;28(6):652-66.
- Ali MT, Yucel E, Bouras S, Wang L, Fei HW, Halpern EF, Scherrer-Crosbie M. *Myocardial Strain Is Associated with Adverse Clinical Cardiac Events in Patients Treated with Anthracyclines.* J Am Soc Echocardiogr. 2016 Jun;29(6):522-527.e3.

Left Ventricle – Stress

- Dahou A, Bartko PE, Capoulade R, Clavel MA, Mundigler G, Grondin SL, Bergler-Klein J, Burwash I, Dumesnil JG, Sénechal M, O'Connor K, Baumgartner H, Pibarot P. *Usefulness of global left ventricular longitudinal strain for risk*

stratification in low ejection fraction, low-gradient aortic stenosis: results from the multicenter True or Pseudo-Severe Aortic Stenosis study. Circ Cardiovasc Imaging. 2015 Mar;8(3):e002117

Right Ventricle

- Bharucha T, Khan R, Mertens L, Friedberg MK. *Right ventricular mechanical dyssynchrony and asymmetric contraction in hypoplastic heart syndrome are associated with tricuspid regurgitation.* J Am Soc Echocardiogr. 2013 Oct;26(10):1214-20
- Maffessanti F, Gripari P, Tamborini G, Muratori M, Fusini L, Alamanni F, Zanobini M, Fiorentini C, Caiani EG, Pepi M. *Evaluation of right ventricular systolic function after mitral valve repair: a two-dimensional Doppler, speckle-tracking, and three-dimensional echocardiographic study.* J Am Soc Echocardiogr. 2012 Jul;25(7):701-8.
- Chowdhury SM, Hijazi ZM, Fahey JT, Rhodes JF, Kar S, Makkar R, Mullen M, Cao QL, Shirali GS. *Speckle-Tracking Echocardiographic Measures of Right Ventricular Function Correlate With Improvement in Exercise Function After Percutaneous Pulmonary Valve Implantation.* J Am Soc Echocardiogr. 2015 Sep;28(9):1036-44.
- Wright L, Dwyer N, Power J, Kritharides L, Celermajer D, Marwick TH. *Right Ventricular Systolic Function Responses to Acute and Chronic Pulmonary Hypertension: Assessment with Myocardial Deformation.* J Am Soc Echocardiogr. 2016 Mar;29(3):259-66. doi: 10.1016/j.echo.2015.11.010.

Left Atrium

- Huynh QL, Kalam K, Iannaccone A, Negishi K, Thomas L, Marwick TH. *Functional and Anatomic Responses of the Left Atrium to Change in Estimated Left Ventricular Filling Pressure.* J Am Soc Echocardiogr. 2015 Dec;28(12):1428-1433.e1.
- Kuwaki H, Takeuchi M, Chien-Chia Wu V, Otani K, Nagata Y, Hayashi A, Iwataki M, Fukuda S, Yoshitani H, Abe H, Otsuji Y. *Redefining diastolic dysfunction grading: combination of E/A ≤ 0.75 and deceleration time >140 ms and E/ ϵ' ≥ 10 .* JACC Cardiovasc Imaging. 2014 Aug;7(8):749-58.
- Kobayashi Y, Moneghetti KJ, Boralkar K, Amsallem M, Tuzovic M, Liang D, Yang PC, Narayan S, Kuznetsova T, Wu JC, Schnittger I, Haddad F. *Challenging the complementarity of different metrics of left atrial function: insight from a cardiomyopathy-based study.* Eur Heart J Cardiovasc Imaging. 2016 Sep 16. pii: jew121.
- Ramkumar S, Yang H, Wang Y, Nolan M, Negishi T, Negishi K, Marwick TH. *Association of the Active and Passive Components of Left Atrial Deformation with Left Ventricular Function.* J Am Soc Echocardiogr. 2017 Jul;30(7):659-666.

Carotid artery

- Yang EY, Dokainish H, Virani SS, Misra A, Pritchett AM, Lakkis N, Brunner G, Bobek J, McCulloch ML, Hartley CJ, Ballantyne CM, Nagueh SF, Nambi V. *Segmental analysis of carotid arterial strain using speckle-tracking.* J Am Soc Echocardiogr. 2011 Nov;24(11):1276-1284
- Yang EY, Brunner G, Dokainish H, Hartley CJ, Taffet G, Lakkis N, Taylor AA, Misra A, McCulloch ML, Morrisett JD, Virani SS, Ballantyne CM, Nagueh SF, Nambi V. *Application of speckle-tracking in the evaluation of carotid artery function in subjects with hypertension and diabetes.* J Am Soc Echocardiogr. 2013 Aug;26(8):901-909.e1

Pediatric

- Di Maria MV, Caracciolo G, Prashker S, Sengupta PP, Banerjee A. *Left ventricular rotational mechanics before and after exercise in children*. J Am Soc Echocardiogr. 2014 Dec;27(12):1336-43.
- Koopman LP, Slorach C, Manlhot C, McCrindle BW, Jaeggi ET, Mertens L, Friedberg MK. *Assessment of myocardial deformation in children using Digital Imaging and Communications in Medicine (DICOM) data and vendor independent speckle tracking software*. J Am Soc Echocardiogr. 2011 Jan;24(1):37-44.